



Hi everyone,

The **Canadian Emergency and trauma Initiative in elders** (CETIe) is happy to keep you updated with [its](#) December 2016 news.

CEDeComS - pilot

- 5 focus groups have already been completed in Toronto and Quebec City. We have an excellent and relevant multidisciplinary participation of health professionals.
- Next and last focus groups including patients, will be held in January. Recruitment will begin soon.
- Pre-implementation of the final version of the CETI-CDR should begin in March in Toronto & Quebec.

CEDeComS- CIHR & CFN

- CEDeComS CIHR: We have received REB approval in Quebec and we are ready to begin REB submission to participating sites. Look out for Nadine's instructions. ○ We are moving toward an electronic data collection system with RedCap. We are aiming for the system to be in place for the beginning of the project. ○ CEDeComS CFN: no news yet

CETI

« A simple, quick and cheap mobility test that can establish the risk of functional decline in autonomous elderly people» **Go see this article** !!! (French only)

<https://www.lefil.ulaval.ca/marche-vers-declin/>

Geriatric Trauma

We are preparing a data extraction from the Public Insurance organization in Quebec (RAMQ) to describe the global state of healthcare to injured seniors, from prehospital care to rehabilitation services. We are still waiting on REB approval.


MIDI-INDEED

We would like to congratulate all the students of the project for their presentations to the Canadian Association of Gerontology Scientific meeting and the Congress of the Association of Emergency Physicians of Quebec.(AMUQ)

A few abstracts will soon be submitted to the CAEP Congress. Hope to see you there!

The first article (data from Phase 1) will soon be sent to the coauthors for comments and review.

Co-investigators will be invited to a post-Phase 2 / End of project phone conference in January 2017. Check your emails! Some results from phase 1 ...



EDU RAPID

- Randomization has now begun in both Quebec sites.
- The first 3 randomized physicians at the site of Hôpital EnfantJésus receive training on the ultrasound-guided block anesthesia. After this training, they will be able to perform the block anesthesia.
- The other physicians will remain in the control group (so will their patients).
- After 8-9 weeks, an additional group of 3 doctors will be randomized and so on.

Award :

Congradulation to **Nathalie Veillette** who received the Betty-Havens Award for application Knowledge in the Aging from the CIHR Institute of Aging!

<http://cihr-irsc.gc.ca/f/50053.html>

We recently published:

Feasibility of emergency department point-of-care ultrasound for rib fracture diagnosis in minor thoracic injury.

Lalande É, Guimont C, Émond M, Parent MC, Topping C,
BatomenKuimi BL, Boucher V, Le Sage N.

CJEM. 2016 Oct 17:1-7. [Epub ahead of print]

Geriatric Emergency Management nurse's views on prediction and management of functional decline in older adults after a minor trauma..

Wilding, L., Abdulaziz, K., Brehaut, J., Taljaard, M., Emond, M., Sirois, M-J., & Perry, J.

(2016) *Journal of the Canadian Gerontological Nursing Association Perspectives*, 39(1), 15-22 (see attached file)

Recently accepted article:

Emergency Department stay associated delirium in older patients.

Émond M, Grenier D, Morin J, Eagles D, Boucher V, Le Sage N,
Mercier É, Voyer P, Lee J

Canadian Geriatrics Journal. (2016)

Age and Ageing, Oxford journals Oct. 2016, 0: 1–6 doi:

10.1093/ageing/afw184

Factors influencing time to computed tomography in emergency department patients with suspected subarachnoid haemorrhage.

Khan M, Sivilotti ML, Bullard MJ, Émond M, Sutherland J, Worster A,
Hohl CM, Lee JS, Eisenhauer M, Pauls M, Lesiuk H, Wells GA, Stiell IG,
Perry JJ.

Emerg Med J. 2016 Sep 22. pii: emermed-2016-205785. doi:

10.1136/emered-2016-205785. [Epub ahead of print] PMID:27660386

Test-Retest Reliability of a Serious Game for Delirium Screening in the Emergency Department.

Tong T, Chignell M, Tierney MC, Lee JS.

Front Aging Neurosci. 2016 Nov 7;8:258.

PMID:27872590

Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis.

Chauny JM, Marquis M, Bernard F, Williamson D, Albert M, Laroche M, Daoust R.

J Emerg Med. 2016 Nov;51(5):519-528. doi: 10.1016/j.jemermed.2016.05.045. PMID:27473443

Executive dysfunction following a mild traumatic brain injury revealed in early adolescence with locomotor-cognitive dual-tasks.

Cossette I, Gagné MÈ, Ouellet MC, Fait P, Gagnon I, Sirois K, Blanchet S, Sage NL, McFadyen BJ.

Brain Inj. 2016 Oct 14:1-8. [Epub ahead of print]

Comorbidity and its relationship with health service use and cost in community-living older adults with diabetes: A population-based study in Ontario, Canada.

Fisher K, Griffith L, Gruneir A, Panjwani D, Gandhi S, Sheng LL, Gafni A, Chris P, Markle-Reid M, Ploeg J.

Diabetes Res Clin Pract. 2016 Oct 20;122:113-123. doi: 10.1016/j.diabres.2016.10.009. [Epub ahead of print] PMID:27833049

Cognitive measures in the Canadian Longitudinal Study on Aging.

Tuokko H, Griffith LE, Simard M, Taler V.

Clin Neuropsychol. 2016 Nov 10:1-18. [Epub ahead of print] PMID:27830627

Your publications!

We look at **your production** regarding trauma, and we thought that it will be great to spread them to all the team.

Timed Up and Go Predicts Functional Decline in Older Patients Presenting to the Emergency Department Following Minor Trauma

Eagles D, Perry JJ, Sirois M-J, Lang E, Daoust R, Lee J, Griffith L, Wilding L, Neveu X, Emond M. Age and Ageing, Oxford journals Oct. 2016, 0: 1–6 doi: 10.1093/ageing/afw184

Factors influencing time to computed tomography in emergency department patients with suspected subarachnoid haemorrhage.

Khan M, Sivilotti ML, Bullard MJ, Émond M, Sutherland J, Worster A, Hohl CM, Lee JS, Eisenhauer M, Pauls M, Lesiuk H, Wells GA, Stiell IG, Perry JJ. Emerg Med J. 2016 Sep 22. pii: emermed-2016-205785. doi: 10.1136/emered-2016-205785. [Epub ahead of print] PMID:27660386

Test-Retest Reliability of a Serious Game for Delirium Screening in the Emergency Department.

Tong T, Chignell M, Tierney MC, Lee JS. Front Aging Neurosci. 2016 Nov 7;8:258.

PMID:27872590

Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and MetaAnalysis. Chauny JM, Marquis M, Bernard F, Williamson D, Albert M, Laroche M, Daoust R.

J Emerg Med. 2016 Nov;51(5):519-528. doi: 10.1016/j.jemermed.2016.05.045.

PMID:27473443

Executive dysfunction following a mild traumatic brain injury revealed in early adolescence with locomotor- cognitive dual-tasks.

Cossette I, Gagné MÈ, Ouellet MC, Fait P, Gagnon I, Sirois K, Blanchet S, Sage NL, McFadyen BJ. Brain Inj. 2016 Oct 14:1-8. [Epub ahead of print]

Comorbidity and its relationship with health service use and cost in community-living older adults with diabetes: A population-based study in Ontario, Canada. Fisher K, Griffith L, Gruneir A, Panjwani D, Gandhi S, Sheng LL, Gafni A, Chris P, Markle-Reid M, Ploeg J. Diabetes Res Clin Pract. 2016 Oct 20;122:113-123. doi:10.1016/j.diabres.2016.10.009. [Epub ahead of print] PMID:27833049

Cognitive measures in the Canadian Longitudinal Study on Aging.

Tuokko H, Griffith LE, Simard M, Taler V. Clin Neuropsychol. 2016 Nov 10:1-18. [Epub ahead of print] PMID:27830627



From all CETAe members in Québec city, we wish you a Merry Christmas and a Happy New Year!